



Beer Pump, Line & Optic Cleaner CRG940

Product Description

A very effective and safe sterilising cleanser which when used as directed, maintains beer lines, pipes and valves in top condition. Can be used to sterilise all types of liquid pump line systems in the food industry.

HEALTH AND SAFETY WARNING – CORROSIVE. ALWAYS WEAR PROTECTIVE CLOTHING.

Product Features

- Concentrated and highly effective cleaner for the maintenance of beer lines.

Direction for Use

- Dilute at 1:30 solution and pump through the system.
- Thoroughly mix cleaning solution in a brewery-approved cleaning container.
- Drain beer from system.
- Fill system with cleaning solution ensuring any remaining beer is forced out.
- Leave system to soak for at least 30 minutes.
- Flush with plenty of cold water through system to ensure all traces of solution are removed.
- Refill system with beer.
- **Not for use in brass beer engines.**
- **Use only in diluted form according to instructions.**
- **Use only in cleaning containers supplied by the brewery.**
- **Use fresh solution every time - do not store in diluted form.**
- **Draw solution through the pipe-work. Rinse the line with clean water before re-use.**

Correct use of this method each week will ensure pipes and equipment are maintained in a hygienic condition.

Shelf Life

- Shelf life 24 months, if stored as recommended.
- Use within 6 months of opening.

Storage

- Store in cool conditions away from direct sources of heat.
- Avoid extremes of temperature.
- Do not allow to freeze.
- Ensure the cap is tightly fitted after use.
- Keep out of reach of children.

Beer Pump, Line & Optic Cleaner CRG940

Environmental Hazards

- Neat product will cause damage to plant and animal life.
- Do not allow to large quantities of neat product to enter surface waterways as serious ecological damage will be caused.
- In the event of a large spillage, contact the local water authority or Environment Agency immediately.

Packaging

- CRG940 5ltr





SAFETY DATA SHEET

CRG940 BEER PUMP, LINE & OPTIC CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CRG940 BEER PUMP, LINE & OPTIC CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier THE COUNTRY RANGE GROUP LIMITED
 PO Box 508
 Burnley
 Lancashire
 BB11 9EH
 0845 209 3777
 enquiries@countryrange.co.uk
 www.countryrange.co.uk

1.4. Emergency telephone number

Emergency telephone Poisons Information Specialist
 National Poisons Information Service
 Birmingham
 B18 7QH
 Tel: 0121 507 5122

National emergency telephone number 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified
Health hazards Skin Corr. 1A - H314 Eye Dam. 1 - H318
Environmental hazards Not Classified

Classification (67/548/EEC or 1999/45/EC) C;R35. R31.

2.2. Label elements

Pictogram



Signal word Danger

CRG940 BEER PUMP, LINE & OPTIC CLEANER

Hazard statements	H314 Causes severe skin burns and eye damage.
Precautionary statements	<p>P260 Do not breathe vapour/spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P280 Wear protective gloves.</p> <p>P280 Wear eye protection.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310 Immediately call a POISON CENTER/doctor.</p> <p>P501 Dispose of contents/container in accordance with national regulations.</p>
Supplemental label information	EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).
Contains	SODIUM HYDROXIDE, SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE
Supplementary precautionary statements	P405 Store locked up.

2.3. Other hazards

Other Hazards No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM HYDROXIDE 5-10%		
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-27-XXXX
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Corr. 1A - H314	C;R35	
Eye Dam. 1 - H318		
SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE 1-5%		
CAS number: 7681-52-9	EC number: 231-668-3	REACH registration number: 01-2119488154-34-XXXX
M factor (Acute) = 1		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Corr. 1B - H314	C;R34 R31 N;R50	
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately.

CRG940 BEER PUMP, LINE & OPTIC CLEANER

Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May be harmful if inhaled.
Ingestion	May be harmful if swallowed.
Skin contact	May cause serious chemical burns to the skin.
Eye contact	May cause serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments	Seek medical attention if irritation or symptoms persist. Symptomatic treatment
----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Burning may produce irritating, toxic and obnoxious fumes. Oxides of Carbon, Nitrogen and Sulphur.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid or minimise the creation of any environmental contamination.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not touch or walk into spilled material. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections See section 3,8 & 13 for further information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

CRG940 BEER PUMP, LINE & OPTIC CLEANER

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.
Storage class	Corrosive storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Provide eyewash station and safety shower. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless.
Odour	Chlorine.
pH	12-14
Initial boiling point and range	100 @°C @ 760 mm Hg

9.2. Other information

CRG940 BEER PUMP, LINE & OPTIC CLEANER

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid contact with acids.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition products Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

Ingestion May cause burns in mucous membranes, throat, oesophagus and stomach.

Skin contact May cause serious chemical burns to the skin.

Eye contact Causes burns.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Not available.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

CRG940 BEER PUMP, LINE & OPTIC CLEANER

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1760

UN No. (IMDG) 1760

UN No. (ICAO) 1760

14.2. UN proper shipping name

Proper shipping name (ADR/RID) CORROSIVE LIQUID, N.O.S.

Proper shipping name (IMDG) CORROSIVE LIQUID, N.O.S.

Proper shipping name (ICAO) CORROSIVE LIQUID, N.O.S.

Proper shipping name (ADN) CORROSIVE LIQUID, N.O.S.

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID label 8

IMDG class 8

ICAO class/division 8

Transport labels



14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS F-A, S-B

Emergency Action Code 2X

Hazard Identification Number (ADR/RID) 80

Tunnel restriction code (E)

CRG940 BEER PUMP, LINE & OPTIC CLEANER

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Safety Data Sheets for Substances and Preparations Approved Classification and Labelling Guide (Sixth edition) L131.

15.2. Chemical safety assessment

SECTION 16: Other information

Revision date	09/02/2016
Revision	11
Supersedes date	22/01/2016
SDS number	20550
Risk phrases in full	R31 Contact with acids liberates toxic gas. R34 Causes burns. R35 Causes severe burns. R50 Very toxic to aquatic organisms.
Hazard statements in full	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H400 Very toxic to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.